2006 Pediatric Nutrition Surveillance (1)

Kentucky Comparison of Racial and Ethnic Distribution by Metro Area Children Aged < 5 Years (2)

Page: Run Date: 7 / 30 / 07

	Comparison of Racial and Ethnic Distribution by Metro Area														
Metro Area	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaskan Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown							
	Analysis (3)	%	%	%	%	%	%	%							
Lou/Jeff	1,717	11.6	68.4	18.8	0.1	0.8	0.3	0.0							
Metro-Unk	134,037	79.6	11.0	7.1	0.1	0.9	1.3	0.0							
Kentucky	135,754	78.7	11.7	7.2	0.1	0.9	1.3	0.0							
Nation (Prior Year)	7,117,562	32.3	18.5	37.7	1.0	2.5	1.0	7.0							

Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with errors.

* Percentages are not calculated if < 100 records are at a second period.</p>

Percentages are not calculated if < 100 records are available for analysis after exclusions.

2006 Pediatric Nutrition Surveillance (1) Kentucky

Comparison of Age Distribution by Metro Area Children Aged < 5 Years (2)

Comparison of Age Distribution by Metro Area												
Metro Area	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %								
Lou/Jeff	1,717	41.5	17.1	41.4								
Metro-Unk	134,037	40.5	18.7	40.8								
Kentucky	135,754	40.5	18.7	40.8								
Nation (Prior Year)	7,117,562	35.3	22.0	42.6								



Page:

Run Date: 7 / 30 / 07

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.(3) Excludes records with unknown data or errors.

 ⁽⁴⁾ Records rejected if date of birth and date of visit unknown.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6G 2006 Pediatric Nutrition Surveillance (1) Kentucky

Page: 1 Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Metro Area Children Aged < 5 Years (2)

		Comp	arison of	Growth a	and Ane	mia Ind	dicators	by Metr	ro Area	(3,4)			
Metro Area		Birthweight (5)			Height and Weight								
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight ₍₇₎		Low	emia Hb/Hct (8)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)	
Lou/Jeff	445	15.5 (2)	5.2 (1)	1,618	7.5 (2)	6.4 (2)	13.5 (1)	682	17.6 (1)	16.1 (1)	1,141	13.9 (2)	
Metro-Unk	34,814	10.2 (1)	6.1 (2)	127,723	7.0 (1)	5.3 (1)	15.3 (2)	53,095	17.9 (2)	17.4 (2)	83,260	12.3 (1)	
Kentucky	35,259	10.2	6.1	129,341	7.0	5.3	15.3	53,777	17.9	17.4	84,401	12.3	
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,07	75 16.1	14.7	4,381,087	7 13.6	

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Table 7G

2006 Pediatric Nutrition Surveillance (1) Kentucky

Page: Run Date:

7 / 30 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (2) Children Aged < 5 Years (3)

		Breastfeeding (5)						Exclusive Breastfeeding (6)				ours TV ng/Day (7)	Smoking in Household	
Bro		% Ever Breastfed (Rank)	Number	Number % Breastfed At Least 6 Months (Rank)		Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)		Number % Breastfed At Least 6 Months (Rank)		Number % (Rank)		Number % (Rank)	
Lou/Jeff	143	100. (1)	54	* *	75	* *	0	* *	0	* *	744	100. (1)	1,717	0.0 (1)
Metro-Unk	11,976	100. (1)	3,926	27.5 (1)	5,067	16.1 (1)	0	* *	0	* *	58,454	98.8 (2)	134,037	33.1 (2)
Kentucky	12,119	100.	3,980	27.5	5,142	16.2	0	*	0	*	59,198	98.8	135,754	32.7
Nation (Prior Year)	1,515,9	54 58.5	751,259	24.3	869,342	2 17.7	101,887	7 13.6	136,891	6.8	343,170	64.7	1,120,03	4 16.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6G 2004 - 2006 Pediatric Nutrition Surveillance (1) Kentucky

Page: 1 Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Metro Area Children Aged < 5 Years (2)

		Comp	arison of	Growth	and Ane	mia Inc	licators	by Metr	o Area	(3,4)		
Metro Area		Birthweight										
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight ₍₇₎		Low	emia Hb/Hct (8)
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% n ≥95th (Rank)	Number	% (Rank)
Lou/Jeff	1,356	15.3 (3)	4.2 (1)	4,523	8.5 (3)	5.1 (2)	15.4 (2)	1,891	17.5 (1)	17.7 (1)	3,226	11.7 (1)
Metro-Unk	114,076	10.0 (2)	6.5 (2)	385,441	7.4 (2)	4.7 (1)	16.6 (3)	161,895	18.1 (2)	17.7 (1)	251,627	12.0 (2)
Unknown Metro A.	1,402	9.2 (1)	6.8 (3)	1,234	0.6 (1)	10.3 (3)	3.2 (1)	0	* *	* *	0	* *
Kentucky	116,834	10.0	6.5	391,198	7.4	4.8	16.6	163,786	18.0	17.7	254,853	12.0

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

2004 - 2006 Pediatric Nutrition Surveillance (1) Kentucky

Run Date:

Page:

7/30/07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area Children Aged < 5 Years (3)

(2)

		Breastfeeding (5)							Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)			Smoking in Household		
Metro Area	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Ra		Number	, (Ra	/o		
Lou/Jeff	1,406	33.5 (1)	602	8.1 (1)	660	3.5 (1)	0	* *	0	* *	744	100.	(1)	1,739	0.0	(1)		
Metro-Unk	116,350	30.2 (2)	51,206	6.1 (2)	58,375	2.8 (2)	0	* *	0	* *	58,454	98.8	(2)	136,076	32.9	(2)		
Unknown Metro A.	1,062	22.6 (3)	42	* *	34	* *	0	* *	0	* *	0	*	*	2	*	*		
Kentucky	118,818	30.2	51,850	6.1	59,069	2.8	0	*	0	*	59,198	98.8		137,817	32.5	5		



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

⁽⁶⁾ the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁷⁾ Children ages 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.